

**LADDERS, TRESTLES
& SCAFFOLDING**

Safe
solutions
at all
heights


W.steps

Content



• Introduction	4
• Yellow Ladders. Green Choices	6
• Choose the right ladder	8
• A good choice for safe work	10
• WORK TRESTLES & STEP STOOLS ...	12
• STEP LADDERS	22
• WORK PLATFORMS	32
• LIFTS	38
• LEANING LADDERS	42
• SCAFFOLDING	64
• WALL & ROOF	88
• OTHER	90





”Safety has always been our biggest focus at W.steps and we take great pride in that. From now on we can also claim our ladders have less environmental impact”

JOHAN FRÄJDIN | Business Director | W.steps

BY USING RENEWABLE SOURCES such as Nordic hydropower and Icelandic geothermal energy in the process, we can offer the world’s first ladders produced with renewable electricity.

What this really means, is that we use aluminium profiles where the raw material is produced with renewable energy. This is important since the smelting process is the most energy-intensive phase in producing aluminium products. The result is that ladders manufactured in our factory in Nässjö contains certified aluminium in varying degrees. As for now we also have a selection made from 100% certified aluminum.

Converting from fossil to renewable energy is the single most important thing we can do to reduce our carbon emissions. As the leading Nordic manufacturer, we also hope to drive the entire industry.

Our ladders are as safe as ever, tested and type approved as all the local regulation states. Further on they now come with a reduced carbon footprint and we are hoping that our yellow ladders will also be known to be a greener alternative.

Yellow Ladders. Green Choices.




Our entire range manufactured in Sweden is made from **certified aluminum** that has a reduced carbon footprint.

The production of aluminium requires large amounts of energy, which usually means coal.

By using renewable energy when we manufacture our aluminum, we can save large amounts of carbon dioxide. The emissions from the smelting process are 75% lower compared to if we had used aluminum from world-average production.

The yellow bar to the left shows the CO₂ emissions in our smelting process, max 4 kg CO₂ per kg aluminum. The bar to the right show aluminium from world average production with emissions 4 times as high.

Read more about our green initiatives on wsteps.com



Choose the right ladder

Our range is divided into three different categories to make it easy for you to choose what type of ladder you should opt for. It's based on what type of work, height and how often you'll use be using the ladder.

PROF+

FOR MORE CHALLENGING APPLICATIONS

This category contains the very best we've got when it comes to functionality, durability, safety and ergonomics. You get a heavy-duty design with greater stability, larger platforms and better fall protection.

PROF

FOR EVERYDAY USE

This category is for craftsmen who need products that are easy to handle but still tough enough for everyday use. Here you'll find some of our most popular products such as the step ladder 55P and our work trestle 55AB.

BASE

FOR LESS CHALLENGING APPLICATIONS

These are more basic products for the price conscious pro or DIY. They have smaller platforms and aren't for the heaviest tasks and won't get you to the highest heights. On the other hand, they are relatively slim, light-weight and easy to handle.



A good choice for safe work

The labelling “A Good Choice for Safe Work” was developed to increase the safety for anyone working at heights. It means that beyond the requirements for a type approval the products also meet a number of additional requirements.

BRA ARBETSMILJÖVAL

- Minimum requirements for fall protection.
- Minimum requirements for Platform area.
- Step depth min. 50 mm.
- Slip protected steps.
- Distance between steps max. 300 mm.
- Maximum weight 15 kg if the product is portable, otherwise e.g. wheels are required.
- The product must be type approved.
- Standing ladders must lock in opened position.
- Anti-skid protection.
- Step stools must have steps on two sides if they don't have a railing.



2 m +

Platform size:
Min. 400 x 400 mm.

Fall protection requirements:
Protection on 4 sides.

1,25 - 2 m

Platform size:
Min. 400 x 400 mm.

Fall protection requirements:
Railing on 3 sides.

0,5 - 1,25 m

Platform size:
Min. 300 x 250 mm.

Fall protection requirements:
Stop indication on 3 sides.

0 - 0,5 m

Platform size:
Min. 600 x 300 mm.

No fall protection is required.

A close-up, low-angle shot of a blue metal work trestle. A yellow step stool is attached to the side of the trestle. The trestle has a series of parallel ridges running along its length. The lighting is bright, creating strong highlights and shadows on the metal surfaces.

WORK TRESTLES & STEP STOOLS

Robust,
sturdy and
compact —

↑ ↓ 0,5 - 1,25 m

When it comes to work at lower heights, trestles and step stools are the best option. Work trestles are wider and with larger platforms, giving you plenty of space to move around. Step stools are more compact, perfect for work in smaller spaces, and easy to transport and store.

Our range stretches from the extra-large and heavy-duty 5600+ to the very slim and agile Vikingstep. You'll also find material trestles for handling all types of construction boards.



The popular trestle 55AB and 55ABR are now available with five steps, giving you all the advantages of trestles at new heights.

Our trestles in the PROF+ category, are approved for loads up to 300 kg, twice as much as regular ladder products.




The step stool 5000R+ folds into a very compact format but most importantly it is safer to climb and work from thanks to the rail.

Type tested and approved

Our trestles and step stools are type tested and approved according to the European Ladder Standard EN 131 and EN 14183.

TRESTLES AND STEP STOOLS



PROF+ TRESTLE 5600+



With a platform that measures 500 x 620 mm, you get plenty of space to move around for efficient and comfortable work. The platform has a course bi-directional anti-slip protection for high safety. Sturdy braces and anti-skids along with strong reinforcements gives it a very robust design with long durability. The lowest trestle (0.5 m) is labelled A good choice for safe work.

- Strong aluminium profiles to provide stability without making the trestle steps heavy.
- Big standing area of 500x620 mm with bi-directional anti-slip protection.
- Splayed legs provide increased stability.
- The treads are 80 mm deep with extra high ridges for enhanced non-slip safety.
- Powder coated aluminium profiles prevent staining of your hands and clothes.

Art. no.	Model	H	B	D	Steps	Weight
805602	WAB+5600-2	500	810	900	2 + 2	9,5
805603	WAB+5600-3	750	890	1100	3 + 3	11,9
805604	WAB+5600-4	990	980	1300	4 + 4	14,5



PROF+ TRESTLE 5500+ OUR FIRST LADDER MADE OF RECYCLED ALUMINIUM



Our trestle 5500+ is now manufactured from recycled aluminium. It is the same robust construction as before, but now manufactured with significantly lower carbon footprint. Our best trestle. It has a platform with a course bi-directional anti-slip protection for high safety. Sturdy braces and anti-skids along with strong reinforcements gives it a very robust design with long durability. The lowest trestle (0.5 m) is labelled A good choice for safe work.

- Strong aluminium profile provides stability without making the trestle steps heavy.
- Big standing area of 300x620 mm with bi-directional anti-slip protection.
- Splayed legs provide increased stability.
- The treads are 80 mm deep with extra high ridges for enhanced non-slip safety.
- Powder coated aluminium profiles prevent staining of your hands and clothes.

Art. no.	Model	H	B	D	Steps	Weight
805502	WAB+5500-2	500	810	700	2 + 2	6,1
805503	WAB+5500-3	750	890	900	3 + 3	8,6
805504	WAB+5500-4	995	980	1100	4 + 4	11,3



PROF TRESTLE 55AB

Stable and safe trestle steps that can take heavy-duty use on a daily basis. Equipped with deep, comfortable treads and well-proportioned top plate. The lowest trestle (0,5 m) is labelled a good choice for safe work.

- Strong aluminium profile provides stability without making the trestle steps heavy.
- Top plate of 300x600 mm with an integrated handle allowing the steps to be carried around with ease.
- Two sturdy stays lock the trestle steps out in their open position, giving them additional stability.
- The treads are 80 mm deep and grooved to ensure excellent anti-slip protection.
- The top plate has plastic end protectors to prevent items like cables becoming trapped in the hinged area.

Art. no.	Model	H	B	D	Steps	Weight
804032	W 55AB-2	496	665	695	2 + 2	5,2
804033	W 55AB-3	747	700	895	3 + 3	7,0
804034	W 55AB-4	997	735	1100	4 + 4	8,9
804035	W 55AB-5	1250	780	1300	5 + 5	11,0

**PROF****TRESTLE 55ABR**

Stable and safe trestle steps with hand rail that can take heavy-duty use on a daily basis. The hand rail gives you support while working and reduces the risk of falling. Equipped with deep, comfortable treads and well-proportioned top plate. Approved as "Bra Arbetsmiljöval" a good choice for safe work.

- The hand rail gives you support and reduces the risk of stepping down on the wrong side.
- Strong aluminium profile provides stability without making the trestle steps heavy.
- Top plate of 300x600 mm with an integrated handle allowing the steps to be carried around with ease.
- The treads are 80 mm deep and grooved to ensure excellent anti-slip protection.
- The top plate has plastic end protectors to prevent items like cables becoming trapped in the hinged area.

Art. no.	Model	H	H1	B	D	Steps	Weight
804043	W 55ABR-3	747	1360	700	895	3	8,1
804044	W 55ABR-4	997	1610	735	1100	4	10,1
804045	W 55ABR-5	1250	1880	780	1300	5	12,2

**PROF+****STEP STOOL WITH RAIL 5000R+**

A stable step stool with a foldable hand rail, extra deep steps and inclination like a regular stair, making it easy to climb up and down. Approved as "Bra Arbetsmiljöval" a good choice for safe work. A Compact format when folded and a handle, makes it easy to transport and store. The rail gives you better balance, feedback about where you stand and prevents you from stepping down on the wrong side by mistake. The almost straight back allows you to get closer access. Useful in almost any type of environment, building sites, industries, warehouses and stores.

- The rail is foldable so that the step stool is still extremely space efficient in transport.
- Strong aluminium profiles provides stability without making it heavy.
- All stair steps measure 250 x 425 mm and have a coarse bi-directional anti-slip pattern.
- Also available in a version without railing (5000+).

Art. no.	Model	H	H1	B	D	Steps	Weight
808043	W 5000R+3	680	1275	575	840	3	10,3
808044	W 5000R+4	900	1500	575	1040	4	13,6
808045	W 5000R+5	1130	1725	575	1270	5	16,2

**PROF+****STEP STOOL 5000+**

A stable and safe step stool ladder with extra deep treads. Opens to the same angle as a normal stairway, making it easy to climb up and down. Economical on space and easy to transport when folded. The straight back allows you to get closer access.


- Strong aluminium profile provides stability without making the step stool ladder heavy.
- The standing area measures 250x425 mm and has bi-directional anti-slip protection to give a safe working position.
- An additional locking hook locks the step stool when open making it extra safe.
- The treads are 250 mm deep with bi-directional anti-slip protection.
- The edge at the very front of the standing area has a lip to it to stop you going down the wrong way.


Art. no.	Model	H	B	D	Steps	Weight
808022	WAP+5000-2	450	580	580	2	6,5
808023	WAP+5000-3	680	580	840	3	9,0
808024	WAP+5000-4	900	580	1040	4	12,3
808025	WAP+5000-5	1130	580	1270	5	14,9

**PROF****TRESTLE 3500**

A sturdy and safe trestle with extra splayed legs in order to meet the higher stability requirements in the Finnish market. Equipped with deep comfortable steps and a large platform with a coarse anti-slip pattern. The lowest trestle (0,5 m) is labelled a good choice for safe work.

- Splayed legs provide increased stability.
- Strong aluminium profile provides stability without making the trestle heavy.
- Large and stable standing area of 300x620 mm.
- Two sturdy braces lock the trestle in its open position, providing additional stability.
- The treads are 80 mm deep with high ridges for enhanced non-slip safety.



Art. no.	Model	H	B	D	Steps	Weight
 721455	WAB F3500-2	500	790	700	2 + 2	5,6
721456	WAB F3500-3	750	870	890	3 + 3	7,8
721457	WAB F3500-4	995	950	1070	4 + 4	10,3

**PROF****STEP STOOL 66TP**

A step stool with larger leg angles than 55TP, which significantly increases side stability. The compact format makes it ideal for work in confined spaces and for easy transportation. The step stool is designed for daily use and the high demands of professional craftsmen. Deep, comfortable steps and platform with a coarse anti-slip pattern.

- The splayed legs (9.5 °) and the strong aluminum profile gives you a light weight step stool with great stability.
- The platform measures 300 x 333 mm and has an integrated handle.
- Steel braces locks the step stool in place when folded out.
- The steps are 80 mm deep with a coarse anti-slip protection.
- The top plate has plastic end-protectors which prevent e.g. cables from getting caught in the hinge.

Art. no.	Model	H	B	D	Steps	Weight
806602	W 66TP-2	500	490	700	2+2	4
806603	W 66TP-3	750	575	900	3+3	5,5
806604	W 66TP-4	995	660	1100	4+4	7,1

**PROF****STEP STOOL 55TP**

Sturdy and safe working step that can withstand considerable stress and daily use. Equipped with deep and comfortable steps and a practical top plate. Ideal for use in narrow spaces.

- The sturdy aluminium profile provides rigidity but without making the working step heavy.
- The top plate measures 300 x 333 mm and it has an integrated handle for improved portability.
- Two sturdy side-stays lock the steps in place when folded out, making it especially stable.
- The steps are 80 mm deep and grooved to provide good anti-slip protection.
- The top plate has plastic end-protectors which prevent e.g. cables from becoming caught in the hinge.

Art. no.	Model	H	B	D	Steps	Weight
804022	W 55TP-2	496	398	695	2+2	3,9
804023	W 55TP-3	747	432	895	3+3	5,2
804024	W 55TP-4	997	468	1100	4+4	6,7



BASE STEP STOOL 20TP



Small and lightweight step stool. Useful when you might need to do some work or reach a little higher up at home, in the warehouse or in the shop. Ideal for use in narrow spaces.

- Easy to carry because of the low weight.
- 120 mm deep steps which makes it comfortable and safe to climb.
- Steel braces for safer use.
- The aluminum profiles are anodized to minimize the risk of getting your hands and clothes dirty.

Art. no.	Model	H	B	D	Steps	Weight
832002	W 20TP-2	436	403	565	2+2	3
832003	W 20TP-2	658	427	720	3+3	4,1



BASE STEP STOOL VIKINGSTEP



Small, smart and easy-to-use aluminium step stool. Useful anywhere you might need to do some work or reach a little higher up, for example at home, in the shop or in the warehouse.

- Easy to carry, easy to transport and easy to store.
- Easy to fold out and unfold.
- Folded it is only 35 mm thick.
- The extra deep 210 mm steps make the step stool safe and comfortable to use.
- The aluminium is anodised to prevent staining of your hands or clothes.

REG.
DESIGN

Art. no.	Model	H	B	D	Steps	Weight
728141	MINI	480	415	507	2	3,7
728142	MIDI	480	571	507	2	5,0
728143	MAXI	720	571	672	3	6,8

Registered Design M92 01 041.5.

BASE VIKINGSTEP COLOUR



A smart aluminium step stool with a compact and minimalistic design. It's very slim, only 35 mm thick when folded together, making it easy to store away. It is available in three colours. You can choose between a yellow that will pop out anywhere as well as a dark grey or a white that will blend into any modern home, office or store environment. The deep and wide steps are safe and comfortable for climbing. Rubber feet protect the floor and allow it to stand safely on most surfaces.


- Folded it is only 35 mm thick.
- Easy to carry, transport and store.
- 210 mm deep steps make it both safe and comfortable to climb.

REG.
DESIGN

Art. no.	Model	H	B	D	Steps	Weight
728602	MIDI Yellow	480	570	507	2	5,1
728502	MIDI Grey	480	570	507	2	5,1
728402	MIDI White	480	570	507	2	5,1

Registered Design M92 01 041.5.






PROF PLASTERBOARD TRESTLE GB



With plasterboards placed on plasterboard trestles, you can work at an ergonomic height and reduce the risk of damages to the boards. The plasterboard trestles are delivered without end protection to ensure that there is enough friction against the floor. Plasterboard manufacturers recommend that the boards are placed on trestles with max 60 cm intervals, which means that you need three plasterboard trestles for a normal plasterboard.

- A plasterboard trestle can be loaded with up to 600 kg, evenly distributed over the trestle.
- The trestles are made of painted steel profiles and are foldable for easy transportation and storage.
- Delivered without end protection to provide better grip on floor.
- Available in one-pack and 80-pack.
- When you buy an 80-pack, a transportation rack is also included, the rack can also be customized to a smaller number of trestles.

Art. no.	Model	H	B	D	Qty./pack	Weight
722020	W GB-1	670	1220	510	1	5,6
722021	W GBS-80	2200	1250	1100	80	500



BASE ADJUSTABLE TRESTLE

A practical trestle with a wide range of potential applications. Provides a stable work surface that is ideal for supporting work pieces for sawing or painting. The trestle can also be used as legs for extra tables.

- The legs are made of lacquered steel tube, making the trestle both robust and stable.
- The cross piece is 780 mm long and is made from untreated wood.
- The height is easily adjustable to three different positions, 675 mm / 770 mm/ 880 mm
- Easy to put up and take down, and easy to store.
- Supplied in pairs.

Art. no.	Model	H	B	D	Weight
827655	WSB 6000 2 stk	675 / 770 / 880	780	410-520	4,1

Maximum load 150 kg.



BASE STEP STOOL KICK STEP

A practical step stool that helps you reach higher. The castors work smoothly, even on soft carpets, and it can be moved by just a push with the foot. Ideal for use in shops, storerooms or at home.

- Made from robust steel plate that has been powder coated to make it extra hardwearing.
- Kick Step is 430 mm high and it can be used for either standing or sitting on.
- When weight is put on it, the castors automatically retract so that the step sits firmly and safely on the floor.
- The top surface is made of non-slip rubber.
- The bottom contact surface is a solid rubber strip that holds the step in place.

Art. no.	Model	Y	H	B	Weight
777001	WKICK SG	290	430	430	4,7

Use the right accessories for even greater safety

You can't always work in ideal conditions. Sometimes space is limited and access difficult. A range of accessories is available for our trestle steps and step stool ladders to help you work effectively and safely. Our leg extensions are ideal for dealing with differences in level. Along with anti-skid devices, they are important safety fittings. No drilling is required when fitting leg extensions, and they can be easily and quickly adjusted when you move your trestle steps or step stool ladder.




EXTENSION LEG TRESTLE/STEP STOOL

This leg extension gives trestle steps stability on differing levels as well. You increase the range of use for your trestle steps, and you get a stable footing into the bargain!

- Provide stability when erecting steps on unlevel surfaces.
- Quickly and easily fitted without having to drill the legs of the trestle steps.
- Extend the trestle steps' legs by up to 300 mm.

Art. no.	Model	Intended for
822058	WTB FB AB	55AB, 3500, 5500, 5600, as well as Step Stool Ladder 55TP.



RAIL STEP STOOL 5000+ AND 5000R+

Foldable rail that fits step stool 5000+ and 5000R+. The rail gives you better balance, feedback about where you stand and prevents you from stepping down on the wrong side by mistake. The rail can be retrofitted to a 5000+ (not two-steps) manufactured after December 2018 (If the step stool has pre-drilled holes with black plugs the rail can be mounted). All fittings, locking devices and screws required for mounting are included.

- The rail (808051) only fits products 5000+ 3-5 steps that are manufactured after December 2018.

Art. no.	Model	Intended for
808051	W 5000R+ R	5000+, 5000R+.

Spare parts trestles and step stools

Make sure to maintain your trestles, you can extend their service time and reduce the risk of accidents. In the table below you can see which anti-skids that fits and online you will find even more spare parts.



Trestles & step stools		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
805602	WAB+ 5600-2	810167	WTB GS 37	4
805603	WAB+ 5600-3	810167	WTB GS 37	4
805604	WAB+ 5600-4	810167	WTB GS 37	4
805502	WAB+ 5500-2	810167	WTB GS 37	4
805503	WAB+ 5500-3	810167	WTB GS 37	4
805504	WAB+ 5500-4	810167	WTB GS 37	4
721455	WAB F3500-2	810143	WTB GS 13	4
721456	WAB F3500-3	810143	WTB GS 13	4
721457	WAB F3500-4	810143	WTB GS 13	4
804032	W 55AB-2	810143	WTB GS 13	4
804033	W 55AB-3	810143	WTB GS 13	4
804034	W 55AB-4	810143	WTB GS 13	4
804035	W 55AB-5	810143	WTB GS 13	4
804043	W 55ABR-3	810143	WTB GS 13	4
804044	W 55ABR-4	810143	WTB GS 13	4
804045	W ABR-5	810143	WTB GS 13	4
804022	W 55TP-2	810143	WTB GS 13	4
804023	W 55TP-3	810143	WTB GS 13	4
804024	W 55TP-4	810143	WTB GS 13	4
806602	W 66TP-2	810143	WTB GS 13	4
806603	W 66TP-3	810143	WTB GS 13	4
806604	W 66TP-4	810143	WTB GS 13	4

Trestles & step stools		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
568402	WAB 600E-2	810144	WTB GS 14	4
568403	WAB 600E-3	810144	WTB GS 14	4
568404	WAB 600E-4	810144	WTB GS 14	4
940035	WAB M-2	810145	WTB GS 15	4
940036	WAB M-3	810145	WTB GS 15	4
940037	WAB M-4	810145	WTB GS 15	4
940038	WAB M-5	810145	WTB GS 15	4
808022	WAP+ 5000-2	810148	WTB GS 18	4
808023	WAP+ 5000-3	810148	WTB GS 18	4
808024	WAP+ 5000-4	810148	WTB GS 18	4
808025	WAP+ 5000-5	810148	WTB GS 18	4
808043	W 5000R+ 3	810148	WTB GS 18	4
808044	W 5000R+ 4	810148	WTB GS 18	4
808045	W 5000R+ 5	810148	WTB GS 18	4
728141	MINI	810146	WTB GS 16	4
732069	Mini 696	810146	WTB GS 16	4
734041	MINI 660 BH	810146	WTB GS 16	4
722376	MINI 660	810146	WTB GS 16	4
728142	MIDI	810147	WTB GS 17	4
728143	MAXI	810147	WTB GS 17	4
777001*	WKICK SG	613909*	WAB RD HF-KS	3
822058	WTB FB AB	810143	WTB GS 13	4

*Wheels

MORE SPARE PARTS ONLINE

On our web you'll find braces, end protection, railings and wheels.





A close-up, angled photograph of a step ladder. The ladder features blue plastic steps and yellow plastic side rails. The background is dark and out of focus, emphasizing the ladder's structure.

STEP LADDERS

Safe and
comfortable
on lower
height —

↑ ↓ 0,75 - 3 m

Step ladders are great for work on low and medium heights. It gives you a safe workspace with fall protection on three sides and a tool tray so you can free up your hands. Double-sided ladders allow you to work on both sides of the ladder, a great choice when you need to cover large areas along a wall.

In the chapter for leaning ladders, you'll also find several models that can be used as double-sided ladders.



200P in our PROF+ category is the best step ladder we have to offer. It has an extra-large platform, foldable safety rails and a robust metal shelf for tools.

Our 44, 55 and 200 series have an innovative fastening technology with FDS-screws that provides a stable construction with minimal flex for a long service life.




On our 55D the double-sided step ladder, you can climb on both sides. Which gives you flexibility to help you in hard-to-reach spaces.

Type tested and approved

Our step ladders are type tested and approved according to the European Ladder Standard EN 131.

SINGLE-SIDED STEP LADDERS



PROF+ STEP LADDER 200P



2 m



Our best step ladder made even better. Robust, stable and durable for everyday professional use. Extra-large metal platform (400 x 400mm) with coarse bi-directional anti-slip protection gives you plenty of space to move, for ergonomic and efficient work. The railing provides a safe workspace with fall protection on 3 sides – it's foldable for easy transport. The big metal shelf has plenty of space for tools and materials so that you can work with your hands free. Connected aluminium braces so that you can lock both sides with just one hand. Innovative fastening technology with FDS-screws provides a stable construction with minimal flex and a really long service life. To facilitate transport, wheels are fitted on the support side on 6- and 8-step models. Approved as "Bra arbetsmiljöval" a good choice for safer work, up to 2 meter (level 3). Built with certified aluminium that is manufactured with renewable energy sources and gives a significant reduced carbon footprint.

- Extra-large metal platform with bi-directional anti-slip.
- Ergonomic step fronts and grip friendly profiles.
- Big metal shelf.
- Connected aluminium braces.
- Foldable railing for easy transport.

	Art. no.	Model	H1	B1	H	B	D	Steps	Weight
✓	882004	W 200P-4	1730	-	950	632	1100	4	11,6
✓	882005	W 200P-5	1980	-	1200	662	1260	5	12,9
✓	882006	W 200P-6	2230	-	1450	692	1440 (1525)	6	15,0
✓	882008	W 200P-8	2730	-	1950	752	1800 (1885)	8	17,5
✓	882014*	W 200P-4 SF	1730	1100	950	632	1100	4	13,2
✓	882015*	W 200P-5 SF	1980	1100	1200	662	1260	5	14,5
✓	882016*	W 200P-6 SF2	2230	1100	1450	692	1440 (1525)	6	18,2
✓	882018*	W 200P-8 SF2	2730	1200	1950	752	1800 (1885)	8	21,0

*Includes stabilisers to meet Finnish regulations. SF = 1 stabiliser, SF2 = 2 stabilisers.



1,25 m



PROF STEP LADDER 55P

Robust ladder for professionals that demand quality in every detail. The perfect choice for anyone who wants a versatile and reliable ladder for varied tasks. Innovative fastening technology with FDS-screws provides a stable construction with minimal flex and a really long service life. Approved as "Bra Arbetsmiljöval" a good choice for safe work, up to five steps.

- Metal platform (310 x 270 mm) with bidirectional anti slip pattern and a design that allows it to close quietly.
- Ergonomic step fronts to lean shins against and grip friendly profiles make the ladder easy to carry and comfortable to work on.
- Deep aluminium shelf, screwed directly into the side profiles for increased durability.
- Steel braces for safer use.
- The aluminium profiles are anodized to prevent staining of your hands and clothes.

	Art. no.	Model	H1	H	B	D	Steps	Weight
✓	735503	WTS 55Pn-3S	1360	700	490	785	3	7,1
✓	735504	WTS 55Pn-4S	1610	950	520	960	4	8,2
✓	735505	WTS 55Pn-5S	1850	1200	550	1150	5	9,3
	735506	WTS 55Pn-6S	2095	1450	580	1330	6	10,4
	735507	WTS 55Pn-7S	2345	1700	605	1510	7	11,5
	735508	WTS 55Pn-8S	2600	1950	635	1695	8	12,9
	735510*	WTS 55Pn-10S SB	3095	2440	690	2055	10	16,2
	735512*	WTS 55Pn-12S SB	3585	2930	750	2450	12	19
✓	735513**	WTS 55Pn-3S SF	1360	700	490	826	3	8,6
✓	735514**	WTS 55Pn-4S SF	1610	950	520	1003	4	9,7
✓	735515**	WTS 55Pn-5S SF	1850	1200	550	1181	5	10,8
	735516**	WTS 55Pn-6S SF2	2095	1450	580	1358	6	13,4
	735517**	WTS 55Pn-7S SF2	2345	1700	605	1535	7	14,7
	735518**	WTS 55Pn-8S SF2	2600	1950	635	1713	8	16

All measurements in mm and kg.
Number of steps includes top platform.

*Should be braced or anchored, support legs are included.

**Includes stabilisers to meet Finnish regulations. SF = 1 stabiliser, SF2 = 2 stabilisers.



PROF STEP LADDER 44P



1,25 m

Reduced CO₂ Aluminium

The perfect choice for anyone who wants a lighter ladder for professional use. The 44P ladder fits service technicians, electricians and other professionals who often need to move around with the ladder. Innovative fastening technology with FDS screws provides a stable structure with a really long service life.

- A platform (300 x 260 mm) in glass fiber reinforced polymer with a bidirectional anti slip pattern and a design that allows it to close quietly.
- Ergonomic step fronts to lean shins against and grip friendly profiles make the ladder both easy to carry and comfortable to work on.
- Weight optimized shelf and platform as well as slim aluminium profiles make the ladder light and easy to handle.
- Steel braces for safer use.
- The aluminium profiles are anodized to prevent staining of your hands and clothes.

Art. no.	Model	H1	H	B	D	Steps	Weight
734403	WTS 44P-3S	1355	700	480	760	3	5,2
734404	WTS 44P-4S	1605	950	510	935	4	6,1
734405	WTS 44P-5S	1855	1200	540	1115	5	7,1
734406	WTS 44P-6S	2100	1450	565	1290	6	8,0
734407	WTS 44P-7S	2355	1700	595	1470	7	9,1



PROF STAIRWELL LADDER 55S



REG. DESIGN


Reduced CO₂ Aluminium

Flexible stairwell ladder for work in stairs and spaces with uneven support surfaces. Innovative fastening technology with FDS-screws provides a stable construction with minimal flex and a really long service life. All four stiles can be individually adjusted for stable support and safe work.

- The stiles on the ladder side can be extended 415 mm. The support side can be extended 1030 mm.
- Soft closing metal platform (310 x 270 mm) with bidirectional anti slip pattern.
- Both the normal stiles and the extension stiles are equipped with anti-skid feet for maximum safety in all situations.
- Deep aluminium shelf, screwed directly into the side profiles for increased durability.
- Anodized aluminium profiles minimize the risk of getting your hands and clothes dirty.

Art. no.	Model	H1	H	B	D	Steps	Weight
735525	W 55S-5S	1850	1200	640	1150	5	14,8

Art. no.	Model	L3	L4
735525	W 55S-5S	max 415	max 1030



BASE HOUSEHOLD LADDER 2020




This ladder is perfect to have at home for painting, decorating and hanging pictures. The ladder is made of aluminium with slim profiles, making it easy to use, fold and carry around.

- The aluminium profiles are anodized to prevent staining of your hands and clothes.
- The platform has anti-slip so you can stand safely on it.
- In the extended position the platform functions as locking mechanism and gives the ladder good stability.
- The steps are ribbed for you to climb safely up and down.
- Equipped with a practical tool shelf.

Art. no.	Model	H1	H	B	D	Steps	Weight
802133	WHS 2020-3	1255	620	425	680	3	4,1
802134	WHS 2020-4	1475	840	457	830	4	4,7
802135	WHS 2020-5	1695	1060	482	1000	5	5,3
802136	WHS 2020-6	1915	1280	514	1150	6	7,4

DOUBLE-SIDED STEP LADDERS



PROF STEP LADDER 55D



A robust and versatile ladder for professionals with steps on both sides. Innovative fastening technology with FDS-screws provides a stable construction with minimal flex and a really long service life.

- Steps on both sides to help you in hard to reach areas.
- Ergonomic step fronts and grip friendly profiles make the ladder easy to carry and comfortable.
- 80 mm deep, slipresistant steps.
- Steel braces for safer use.
- Anodized aluminium profiles minimize the risk of getting your hands and clothes dirty.

Art. no.	Model	H	B	D	Steps	Weight
735535	W 55Dn-5	1200	580	1225	5+5	6,6
735536	W 55Dn-6	1450	610	1400	6+6	8,1
735538	W 55Dn-8	1960	665	1795	8+8	10,2
735540	W 55Dn-10	2470	725	2150	10+10	13,2



PROF STEP LADDER FIBREGLASS - WFG

Ladder made from fibreglass are non-conductive and resistant to acid and chemicals. They are a great choice when you are working with high voltage electricity such as train powerlines or switchgear. Glass-fibre ladders are also suitable for aggressive environments such as chemical industries, food industries, or water treatment plants where aluminium ladders can't be used due to chemicals or acids.

Both the side stiles and steps are made from glass-fibre reinforced polyester with an electrical insulation of 13,5 kW/cm.

- The ladder is non-conductive and voltage tested to 30 kV according to EN 61478.
- The material allows you to work safely even with high voltage applications, such as on overhead line structures or switchgear.
- Suitable for use in corrosive environments, both in acidic and basic environments.
- Rectangular side profiles and rungs in fibreglass reinforced polyester make for a stable and hard-wearing ladder.
- 80 mm deep steps on both sides.

Approved according to European ladder standard EN 131, Swedish Work Environment Authority Regulation AFS 2004:3 and European standard for live working, ladders of insulating material EN 61478.

Art no.	Model	H	B	D	Steps	Weight
792206	WFG-6	1500	510	1590	6	11,6
792208	WFG-8	2000	570	2050	8	16

Equip yourself for safer work

Working at more serious heights is always a challenge in terms of safety. As far as standing ladders are concerned, there is a lot you can do to prevent potential accidents. Supporting legs, stabiliser bars, grab rails and tool holders give added safety, as well as helping you work more efficiently.



STABILISER 1

A stabiliser reduces the risk of the ladder tipping over sideways, the most common cause for accidents involving standing ladders.

- Made from aluminium.
- This stabiliser bar is easily fitted and can be removed when needed.

Art. no.	Model	Intended for
822096	WTB+ SF ASP/ASD	Step Ladder, Old models 90P, ASP, ASD, ASP+ & ASD+
722035	WTB SF 55Pn/44P	Step Ladder 44P, 55Pn, 55Dn & 200P
822097	WTB SF 55/66	Step Ladder, Old models 55P, 66P, 77P & 55D



SUPPORT LEGS STANDING LADDERS

Support legs reduces the risk of the ladder tipping over sideways, the most common cause for accidents involving standing ladders.

- Fabricated from aluminium to make them extra hard-wearing and stable.
- Easily fitted without tools to the ladder legs. Also easy to adjust as needed.

Art. no.	Model	Intended for
717923	WTB SB 3	Step Ladder, Old models 90P, ASP, ASD, ASP+ & ASD+
722042	WTB SB 7	Step Ladder 44P, 55Pn, 55Dn & 200P



HAND RAIL

Hand rails makes climbing safer and easier and gives you support while you work.

- Made from anodised aluminium.
- This grab rail is easily fitted and can be removed when needed.

Art. no.	Model	Intended for
822730	WTB+ HL-ASP/ASD	Step Ladder, Old models 90P, ASP, ASD, ASP+ & ASD+
722041	WTB HL 55Pn/44P	Step Ladder 44P, 55Pn, 55Dn, 200P & 55S



RAIL

Foldable hand rail gives a safer use and supports you while you work. Foldable for easier transport.

- Supplied individually
- Made from aluminium

Art. no.	Model	Intended for
822908	W HR-200P	Step ladder 200p, 55Pn, 55Dn & 55S





Makes it easier to move your ladder.

- 125 mm diameter wheels
- Supplied in pairs.

Art. no.	Model	Intended for
822909	W WH-200P	Step Ladder 200P, 55Pn & 55Dn

- Made from lightweight hard-wearing aluminium.
- Easily fitted and adjusted using a clever thumb screw.
- The tool holder has a diameter of 60 mm.

Art. no.	Model	Intended for
720403	WTB VEH ASP/ASD	Step Ladder, Old models 90P, ASP, ASD, ASP+ & ASD+
820403	WTB VEH 55P/55D	Step Ladder 55Pn, 55Dn, 55S, 200P Old models 55P, 66P, 77P & 55D

In the table below you can see which equipment that fits your ladder.

28



Spare parts standing ladders

Maintain your ladders to make sure to extend their service time and reduces the risk of accidents. In the table below you can see which anti-skids that fits and online you will find even more spare parts.

Ladders		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
809003	W 90P-3	810171	WTB GS 41	4
809004	W 90P-4	810171	WTB GS 41	4
809005	W 90P-5	810171	WTB GS 41	4
809006	W 90P-6	810171	WTB GS 41	4
809008	W 90P-8	810171	WTB GS 41	4
809013	W 90P-3 SF	810171	WTB GS 41	4
809014	W 90P-4 SF	810171	WTB GS 41	4
809015	W 90P-5 SF2	810171	WTB GS 41	4
809016	W 90P-6 SF2	810171	WTB GS 41	4
809018	W 90P-8 SF2	810171	WTB GS 41	4
735525	W 55S-5S**	722004	WTB GS 49	4
735525	W 55S-5S**	810137	WTB GS 7	4
808003	WTS+ ASP-3	810171	WTB GS 41	4
808004	WTS+ ASP-4	810171	WTB GS 41	4
808005	WTS+ ASP-5	810171	WTB GS 41	4
808006	WTS+ ASP-6	810171	WTB GS 41	4
808008	WTS+ ASP-8	810171	WTB GS 41	4
808010	WTS+ ASP-10 SB	810171	WTB GS 41	4
734403	WTS 44P-3S	722003	WTB GS 48	4
734404	WTS 44P-4S	722003	WTB GS 48	4
734405	WTS 44P-5S	722003	WTB GS 48	4
734406	WTS 44P-6S	722003	WTB GS 48	4
734407	WTS 44P-7S	722003	WTB GS 48	4
735503	WTS 55Pn-3S	722004	WTB GS 49	4
735504	WTS 55Pn-4S	722004	WTB GS 49	4
735505	WTS 55Pn-5S	722004	WTB GS 49	4
735506	WTS 55Pn-6S	722004	WTB GS 49	4
735507	WTS 55Pn-7S	722004	WTB GS 49	4
735508	WTS 55Pn-8S	722004	WTB GS 49	4
735510	WTS 55Pn-10S SB	722004	WTB GS 49	4
735512	WTS 55Pn-12S SB	722004	WTB GS 49	4
735513	WTS 55Pn-3S SF	722004	WTB GS 49	4
735514	WTS 55Pn-4S SF	722004	WTB GS 49	4
735515	WTS 55Pn-5S SF	722004	WTB GS 49	4
735516	WTS 55Pn-6S SF	722004	WTB GS 49	4
735517	WTS 55Pn-7S SF	722004	WTB GS 49	4
735518	WTS 55Pn-8S SF	722004	WTB GS 49	4
735535	W 55Dn-5	722004	WTB GS 49	4
735536	W 55Dn-6	722004	WTB GS 49	4
735538	W 55Dn-8	722004	WTB GS 49	4
735540	W 55Dn-10	722004	WTB GS 49	4
737723	WTS 77P-3S	810137	WTB GS 7	4
737724	WTS 77P-4S	810137	WTB GS 7	4

Ladders		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
737725	WTS 77P-5S	810137	WTB GS 7	4
737726	WTS 77P-6S	810137	WTB GS 7	4
737728	WTS 77P-8S	810137	WTB GS 7	4
737730	WTS 77P-10S SB	810137	WTB GS 7	4
837723	WTS 77P-3S SF	810137	WTB GS 7	4
837724	WTS 77P-4S SF	810137	WTB GS 7	4
837725	WTS 77P-5S SF	810137	WTB GS 7	4
837726	WTS 77P-6S SF	810137	WTB GS 7	4
837728	WTS 77P-8S SF	810137	WTB GS 7	4
739703	WTS 77S-3S*	810137	WTB GS 7	4
739705	WTS 77S-5S*	810137	WTB GS 7	4
738703	WTS 55P-3S	810137	WTB GS 7	4
738704	WTS 55P-4S	810137	WTB GS 7	4
738705	WTS 55P-5S	810137	WTB GS 7	4
738706	WTS 55P-6S	810137	WTB GS 7	4
738707	WTS 55P-7S	810137	WTB GS 7	4
738708	WTS 55P-8S	810137	WTB GS 7	4
738710	WTS 55P-10S SB	810137	WTB GS 7	4
738712	WTS 55P-12S SB	810137	WTB GS 7	4
802133	WHS 2020-3	810173	WTB GS 43	4
802134	WHS 2020-4	810173	WTB GS 43	4
802135	WHS 2020-5	810173	WTB GS 43	4
802136	WHS 2020-6	810173	WTB GS 43	4
808104	WTS+ ASD-4	810172	WTB GS 42	4
808106	WTS+ ASD-6	810172	WTB GS 42	4
808108	WTS+ ASD-8	810172	WTB GS 42	4
808110	WTS+ ASD-10	810172	WTB GS 42	4
808112	WTS+ ASD-12	810172	WTB GS 42	4
732735	WTS 55D-5	810138	WTB GS 8	4
732736	WTS 55D-6	810138	WTB GS 8	4
732738	WTS 55D-8	810138	WTB GS 8	4
732740	WTS 55D-10	810138	WTB GS 8	4
732742	WTS 55D-12	810138	WTB GS 8	4
721440	WGS D-6	810151	WTB GS 21	4
721441	WGS D-8	810151	WTB GS 21	4
882004	W 200P-4	722004	WTB GS 49	4
882005	W 200P-5	722004	WTB GS 49	4
882006	W 200P-6	722004	WTB GS 49	4
882008	W 200P-8	722004	WTB GS 49	4
882014	W 200P-4 SF	722004	WTB GS 49	4
882015	W 200P-5 SF	722004	WTB GS 49	4
882016	W 200P-6 SF2	722004	WTB GS 49	4
882018	W 200P-8 SF2	722004	WTB GS 49	4

*You need two packages in order to replace both the anti-skids on the normal legs and the extension legs.

**You need two different types of anti-skids for the legs. 722004 is for the normal legs and 810137 is for the extension legs.



MORE SPARE PARTS ONLINE

On our web you'll find braces, end protection, railings and wheels.




WORK PLATFORMS

Versatile
and safe
for flexible
work —

↑ ↓ 1 - 3 m

Work platforms are best described as heavy-duty step ladders. They have larger platforms and fall protection on all four sides which allow you to work more freely and perform heavier tasks for longer periods of time. They can be used for a variety of tasks such as, maintenance, painting, installation and warehouse work. Work platforms are also a great alternative to a lighter scaffolding, since they don't require any assembling.

All our work platforms are equipped with wheels to make them easy to move and transport.



Not sure which height you need?
Our HAP is height adjustable between one and two meters so you always can find an ergonomic position.

Our TMR has a less steep inclination and deeper steps for more comfortable and safer climbing.



Type tested and approved

Our work platforms are approved according to EN 131-7, a subsection for work platforms in the European ladder standard.

Choosing the right platform

The HAP and the WP is based on the same lightweight aluminum construction. They are foldable and have double sets of wheels that make them very easy to move around.


HAP is height adjustable, which makes it very flexible and useful in many different situations. You can be sure that you can always find a good working position so that you can focus on the job.

WP is the lightest model, the aluminium construction makes it sturdy but still easy to handle.


TMR is based on a really sturdy steel construction. You climb on a stair with deep steps and a more comfortable inclination which makes the work both safer and more comfortable.

Whichever model you choose, you get a reliable tool with a large platform and sturdy fall protection on four sides.

PLATFORM HEIGHT



HAP and WP are equipped with dual sets of wheels which make them very easy to move.






The small wheels at the end of the stabilisers make it easy to pass through a doorway.




A less steep inclination on the stair and 110 mm deep steps make TMR extra safe and comfortable for anyone climbing up and down a lot.

PLATFORM SIZE



MORE SPARE PARTS ONLINE

On our web you'll find braces, end protection, railings and wheels.



The platform can be set at four different heights. The height is easily adjusted with a handle on each side.




PROF+ HEIGHT ADJUSTABLE PLATFORM HAP

REG.
DESIGN



Our best work platform, can easily be set to four different heights between 1 and 2 meters, so you always can find a comfortable working position. Two sets of wheels make it easy to move both when folded and unfolded. Surface treated to prevent staining of hands and clothes.

- Large platform (525 x 650 mm) with fall protection on all four sides gives you stability and freedom to move so you can work efficiently, ergonomically and safely.
- One-hand quick-release for easy adjustment at four heights (1100–1950 mm) ensures an optimal working position.
- Handrails and up to 110 mm deep steps for safe and comfortable climbing.
- 130 cm wide stabilizer for increased stability.
- Approved according to the Work platform standard EN 131-7 and as “Bra arbetsmiljöval” a good choice for safe work, up to level 3.



Product no.	Model	H1	H	B	B4	D	Number of treads	Weight
808030	WAP HAP 1,1-2,0	2120 - 2970	1100 - 1950	655	1300	1400 - 2000	4-7	35,0



	H1	H	D	Number of treads
Height 1	2100	1100	1400	4
Height 2	2390	1390	1550	5
Height 3	2670	1670	1800	6
Height 4	2950	1950	2000	7

Transport dimensions assembled: Length = 2550 mm, height = 450 mm, width = 1340 mm (including wheels).



Spare anti-skids: 810157 (2 pack).



Double sets of wheels and a compact and lightweight aluminum construction make the WP very easy to move and transport - both folded and unfolded.

WP 1,5 m




PROF+ WORK PLATFORM WP



A sturdy but yet light work platform that is simple to open and fold together for easy transport and storage. Ideal for those who perform temporary installation work, painting or work at a warehouse. Two sets of wheels make it easy to move both when folded and unfolded. Surface treated to prevent staining of hands and clothes.

- Large platform (525 x 550 mm) with fall protection on all four sides gives you stability and freedom to move so you can work efficiently, ergonomically and safely.
- The frame is made of aluminium and makes the platform sturdy yet light.
- Handrails and 50 mm deep steps for safe and comfortable climbing.
- Wide stabilizers for increased stability.
- Approved according to the Work platform standard EN 131-7 and as "Bra arbetsmiljöval" a good choice for safe work, up to level 3.



Product no.	Model	H1	H	B	B4	D	Steps	Weight	Transport length (assembled)
806704	WAP+ WP 1,0	2005	998	655	850	1255	4	21,5	2300
806706	WAP+ WP 1,5	2505	1498	655	1100	1545	6	25	2800
806708	WAP+ WP 2,0	3005	1998	655	1400	1830	8	28,5	3340

Transport dimensions mounted: height = 350 mm, length according to the table above, width according to column B4 + 40 mm.



Spare anti-skids: 810157 (2 pack)



A less steep inclination on the stair and 110 mm deep steps make TMR extra safe and comfortable for anyone climbing up and down a lot.



For outdoor use, the TMR 3.0 m should be equipped with the Outdoor Package consisting of support legs and 3 kg of ballast. Article number: 806613




PROF+ WORK PLATFORM TMR



A really sturdy and robust work platform in steel and aluminium for safe work at higher heights. Ideal for those who perform installation work, painting or work at a warehouse. Surface treated to prevent staining of hands and clothes.

- Large platform (490 x 600 mm) with fall protection on all four sides gives you stability and freedom to move so you can work efficiently, ergonomically and safely.
- Designed with less steep inclination, like a normal stair, makes it the best choice for those who often climb up and down.
- Sturdy handrails and 110 mm deep, anti-slip steps for safe and comfortable climbing and wheels for easy movement.
- For outdoor use, the TMR 3.0 m should be equipped with Outdoor Package (WTB UT TMR 3.0) consisting of support legs and 3 kg of ballast.
- Approved according to the Work platform standard EN 131-7 and as "Bra arbetsmiljöval" a good choice for safe work, up to level 4.



	Product no.	Model	H1	H	B	B4	D	Steps	Weight
✓	806605	WAP+ TMR 1,2	2220	1247	535	890	1430	5	40
✓	806606	WAP+ TMR 1,5	2470	1497	535	990	1565	6	43
✓	806608	WAP+ TMR 2,0	2970	1997	535	1290	1845	8	53
✓	806610	WAP+ TMR 2,5	3470	2497	535	1490	2120	10	62
✓	806612	WAP+ TMR 3,0	3970	2997	535	1390	2400	12	72
✓	806613	WTB UT TMR 3,0	–	–	–	–	–	–	6

TMR is not foldable, you can find transport measures and spare parts on wsteps.com



LIFTS

Compact,
safe and
ergonomic

↑↓ 0,3 - 2 m

Eco-friendly and manually operated lifts for indoor use on flat surfaces in industry, facility management or at construction sites. The platform is elevated by manually turning a handle requiring very little effort, both up and down since it is spring loaded. Which means no battery or external power supply is needed and by that it's always ready to use.



The wheels locks automatically when the platform is elevated. Once it's lowered and empty, the lift can be moved. Moving it manually reduces the risk of driving it into interiors and equipment and makes it a good choice for maintenance in offices.

Sturdy fall protection on all four sides.
With a stepless height adjusting it enables work in a comfortable position, increasing efficiency and reducing fatigue.
The compact format allows you to come close to the wall.





PROF LIFT WML 1500


A manually operated lift that can be used in industry, facility management or on construction sites where access to ceilings or installations is needed for a longer period of time.

The compact format and small footprint allow you to place the platform close to walls and easily reach in all directions. The height can be adjusted steplessly, enabling work in a comfortable position, increasing efficiency and reducing fatigue. A tool tray allows you to put your tools down and work more freely.

The platform is elevated by manually turning a handle. A pneumatic cylinder stores the energy on the way down, so it requires very little energy to go back up. This eliminates the need for any external power supply, a battery or recharging. You get a product that's always ready for use and that is pretty much maintenance free.

The wheels lock automatically when the platform is elevated. Once it's lowered and empty the lift can be moved and by moving it manually you reduce the risk of driving it into interiors and equipment.

- Platform size: 720 x 620 mm.
- Small foot print 1,02 m x 0.70 m.
- Sturdy fall protection on four sides, 1100 mm high.
- Robust design, made from powder coated steel.
- Minimal operational costs and virtually maintenance free.



Product no.	Model	H1	H	B	D	Weight
801500	WML 1500	1620 - 2770	320 - 1500	700	1020	180



PROF LIFT WML 2200


A manually operated lift that can be used in facility management, industry, construction and maintenance where you frequently need to access ceilings or installations.

The compact format allows you to place the platform close to walls and easily reach in all directions. The height can be adjusted steplessly so you always can find the best work position, this increases efficiency and reduces fatigue. A tool tray allows you to put your tools down and free up your hands.

The platform is elevated by manually turning a handle. A pneumatic cylinder stores the energy on the way down, so it requires very little energy to go back up. This eliminates the need for any external power supply, a battery or recharging. You get a product that's always ready for use and that is pretty much maintenance free.

The wheels lock automatically when the platform is elevated. Once it's lowered and empty the lift can be moved and by moving it manually you reduce the risk of driving it into interiors and equipment

- Platform size: 850 x 640 mm.
- Small foot print 1.4 m x 0.74 m.
- Sturdy fall protection on four sides, 1100 mm high.
- Robust design, made from powder coated steel.
- Minimal operational costs and virtually maintenance free.



Product no.	Model	H1	H	B	D	Weight
802200	WML 2200	1950 - 3470	700 - 2200	740	1400	305



LEANING LADDERS

Safety
in every
step —

↑ ↓ 1 - 12,4 m

Leaning ladders are great for quick and light tasks along a facade or for accessing a roof. Choose between our state-of-the-art one-piece and extension ladders, combination ladders that can be used both as leaning and standing ladders or telescopic ladders that are very easy to transport and store.



Our LPX-range is a unique ladder concept, designed for a new level of safety and ease of use. It is equipped with both levelling legs and 3D stabilisers that stabilises the ladder in all directions.

The LPR-model is based on the same extra wide ladder as the LPX but equipped with a standard stabiliser. Our LBA-model is not as wide but a good option for the price conscious pro or DIY.



We also offer combination ladders and telescopic ladders – both are very easy to store and transport. Combination ladders are very versatile and can be used as standing ladders, leaning ladders and work benches.

Type tested and approved

Our ladders are type tested and approved in accordance with the European Ladder Standard EN 131, Swedish Standard SS 2091 edition 4 and Swedish Work Environment Authority Regulation AFS 2004:3.

Our ladders comply with the latest version of EN 131 from 2016 with the most important update being that all leaning ladders longer than 3 meters have to be equipped with stabilisers or similar solutions for additional stability.



It is time to step up the safety

Our PROF+ leaning ladder LPX is made to stand out when it comes to safety for work at height. It is designed to meet the real world out there, and we know it is not flat.

In order to be able to set up a ladder safely and prevent the most common accidents, different attachment equipment or the possibility to combine different types of safety equipment is usually required. Safety legs are one of the best solutions that work in most situations without the need for any other anchorage or equipment.

Our user studies have shown a greater need for levelling on uneven surfaces. When setting up a ladder one of the biggest challenges is that the ground is often uneven or sloping, which makes it difficult to set up a ladder safely.


With inspiration from our Nor-Bas ladders that have long been used by the fire brigade, we have developed a completely new safety concept for our leaning ladders. With extension and safety legs, we have created a ladder with a unique combination of both levelling and stabilization in several dimensions.

The safety legs not only increase safety, the user will also quickly discover how much easier it is to work on a stable ladder. When you can trust the equipment, you do not have to think about how you stand and can instead confidently focus on your work.

We are very proud to be able to offer a leaning ladder that can handle virtually all situations and which can be set up in a quick, easy and safe.



PROF+ ONE-PIECE LEANING LADDER LPX



Our best leaning ladder. For those who always put safety first when working at height. Equipped with extension legs that makes it easy to erect the ladder on inclined and uneven surfaces. The safety legs prevents base slips and the ladder from falling sideways.

The ladders are extra wide, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern.

- Extension legs for levelling up to 200 mm.
- Safety legs stabilises the ladder in multiple directions.
- Extra wide ladder.
- Anti-slip patterned rungs.
- Strong and durable aluminium BOX-profile.



Art. no.	Model	B (mm)	B4 (mm)	L (mm)	Profile	Number of rungs	Weight
860003	W LPX-S3	485	1235	2740	73/24	9	11,5
860004	W LPX-S4	485	1235	3940	73/24	13	15,2
860005	W LPX-S5	485	1235	4860	73/24	16	17
860006	W LPX-S6	485	1235	6060	73/24	20	20,3



PROF+ DOUBLE EXTENSION LEANING LADDER LPX




Our best leaning ladder. For those who always put safety first when working at height. Equipped with extension legs that makes it easy to erect the ladder on inclined and uneven surfaces. The safety legs prevents base slips and the ladder from falling sideways.

The ladders are extra wide, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern.

The design of the top brackets makes it easy to use it as a free standing ladder. Auto-lock ensures that the ladder always is securely locked during use.

- Extension legs for levelling up to 200 mm.
- Safety legs stabilises the ladder in multiple directions.
- Extra wide ladder.
- Anti-slip patterned rungs.
- Can also be used as a free standing ladder.



Art.no.	Model	B (mm)	B1	B4 (mm)	L (mm)	L1 (mm)	Profile	Number of rungs	Weight
860204	W LPX-D4	550	465	1300	4160	2540	73/24	8+8	18
860205	W LPX-D5	550	465	1300	4860	2840	73/24	9+9	19,1
860206	W LPX-D6	550	465	1300	6060	3440	73/24	11+11	22,5
860207	W LPX-D7	550	465	1300	7260	4040	85/24	13+13	25,4
860208	W LPX-D8	550	465	1300	8460	4640	85/24	15+15	33,2
860210	W LPX-D10	550	465	1300	9960	5540	85/24	18+18	38,3



PROF+

TRIPLE EXTENSION LEANING LADDER LPX




Our best leaning ladder. For those who always put safety first when working at height. Equipped with extension legs that makes it easy to erect the ladder on inclined and uneven surfaces. The safety legs prevents base slips and the ladder from falling sideways.

The ladders are extra wide, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern.

The design of the top brackets makes it easy to use it as a free standing ladder. Auto-lock ensures that the ladder always is securely locked during use.

- Extension legs for levelling up to 200 mm.
- Safety legs stabilises the ladder in multiple directions.
- Extra wide ladder.
- Anti-slip patterned rungs.
- Can also be used as a free standing ladder.



Art.no.	Model	B	B1 (mm)	B4	L (mm)	L1 (mm)	Profile	Number of rungs	Weight
860305	W LPX-T5	550	400	1300	5200	2280	73/24	7+7+7	21,8
860307	W LPX-T7	550	400	1300	7000	2880	85/24	9+9+9	27
860308	W LPX-T8	550	400	1300	7900	3180	85/24	10+10+10	29,2
860310	W LPX-T10	550	400	1300	10000	4080	85/24	13+13+13	42,3






PROF ONE-PIECE LEANING LADDER LPR



For those who use a leaning ladder daily and have high demands on durability, strength and safety.

The ladders are extra wide, 465 mm, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern. The stabiliser that is included with ladders over 3 m, stabilises the ladder and prevents it from falling over sideways.


- Extra wide ladder, 465 mm.
- Stabiliser included with ladders over 3 m.
- Anti-slip patterned rungs.
- Strong and durable aluminium BOX-profile.



Art.no.	Model	B (mm)	B4 (mm)	L (mm)	Profile	Number of rungs	Stabiliser included	Weight
850002	W LPR-S2	465	-	2100	73/24	7	No	4,5
850003	W LPR-S3	465	-	2700	73/24	9	No	5,5
850004	W LPR-S4	465	1100	3900	73/24	13	Yes	9,2
850005	W LPR-S5	465	1100	4900	73/24	16	Yes	11
850006	W LPR-S6	465	1100	6100	73/24	20	Yes	14,3




PROF DOUBLE EXTENSION LEANING LADDER LPR



For those who use a leaning ladder daily and have high demands on durability, strength and safety.

The ladders are extra wide, 530 mm, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern. The stabiliser that is included with the ladders, stabilises the ladder and prevents it from falling over sideways. The design of the top brackets makes it easy to use it as a free standing ladder. Auto-lock ensures that the ladder always is securely locked during use.

- Extra wide ladder, 530 mm.
- Stabiliser included.
- Anti-slip patterned rungs.
- Strong and durable aluminium BOX-profile.
- Can also be used as a free standing ladder.



Art.no.	Model	B (mm)	B1 (mm)	B4 (mm)	L (mm)	L1 (mm)	Profile	Number of rungs	Weight
850204	W LPR-D4	530	465	1200	4200	2500	73/24	8+8	12
850205	W LPR-D5	530	465	1200	4900	2800	73/24	9+9	13,1
850206	W LPR-D6	530	465	1200	6100	3400	73/24	11+11	16,5
850207	W LPR-D7	530	465	1200	7300	4000	85/24	13+13	19,4
850208	W LPR-D8	530	465	1200	8500	4600	85/24	15+15	27,2
850210	W LPR-D10	530	465	1300	10000	5500	85/24	18+18	32,3




PROF TRIPLE EXTENSION LEANING LADDER LPR



For those who use a leaning ladder daily and have high demands on durability, strength and safety.

The ladders are extra wide, 530 mm, giving the user better reach and plenty of space to climb comfortably and safe. A strong BOX-profile in aluminium with strong joints makes the ladder stabile and the rungs have anti-slip pattern. The stabiliser that is included with the ladders, stabilises the ladder and prevents it from falling over sideways. The design of the top brackets makes it easy to use it as a free standing ladder. Auto-lock ensures that the ladder always is securely locked during use.

- Extra wide ladder, 530 mm.
- Stabiliser included.
- Anti-slip patterned rungs.
- Strong and durable aluminium BOX-profile.
- Can also be used as a free standing ladder.



Art.no.	Model	B (mm)	B1 (mm)	B4 (mm)	L (mm)	L1 (mm)	Profile	Number of rungs	Weight
850305	W LPR-T5	530	400	1200	5240	2240	73/24	7+7+7	15,8
850307	W LPR-T7	530	400	1200	7040	2840	85/24	9+9+9	21
850308	W LPR-T8	530	400	1200	7940	3140	85/24	10+10+10	23,2
850310	W LPR-T10	530	400	1200	10040	4040	85/24	13+13+13	36,3




**BASE****ONE-PIECE LEANING LADDER LBA**

LBA is our most affordable leaning ladder, designed and developed for those who don't use their ladder every day but value great quality.

The ladder's strong BETA profile in aluminium provides stability and safety when being used. Available in lengths between 2 and 4 meters.

- Strong BETA aluminium profile makes the ladder stable and safe during use.
- The rungs are attached with strong joints right through the stile.
- Non-slip rungs provide extra safety.
- Additional information: A stabiliser is included for all ladders over 3 meters.



Art.no.	Model	B (mm)	B4 (mm)	L (mm)	Profile	Number of rungs	Stabiliser included	Weight
800022	W LBA-S2	400	-	2100	67/20	7	No	3,7
800033	W LBA-S3	400	-	2700	67/20	9	No	4,7
800044	W LBA-S4	400	840	4000	67/20	13	Yes	7,6

**BASE****DOUBLE EXTENSION LEANING LADDER LBA**

LBA is our most affordable leaning ladder, designed and developed for those who don't use their ladder every day but value great quality.

The ladder's strong BETA profile in aluminium provides stability and safety when being used. Available in lengths between 4 and 7 meters.

- Strong BETA aluminium profile makes the ladder stable and safe during use.
- The rungs are attached with strong joints right through the stile.
- Non-slip rungs provide extra safety.

Art.no.	Model	B (mm)	B1 (mm)	B4 (mm)	L (mm)	L1 (mm)	Profile	Number of rungs	Stabiliser included	Weight
800400	W LBA-D4	400	347	840	4000	2500	67/20	8+8	Yes	9,7
800500	W LBA-D5	400	347	840	4900	3100	67/20	10+9	Yes	11,3
800600	W LBA-D6	400	347	1050	5800	3400	78/20	11+11	Yes	14,0
800700	W LBA-D7	400	347	1050	7000	4000	78/20	13+13	Yes	20,5



SAFETY EQUIPMENT

Equip yourself for safer work

Your ladder is not a complete tool without the right safety equipment. If you have chosen one of our PROF+ ladders you are well equipped to work safely in most situations. The safety legs secure the ladder in several directions and the extension legs allow you to work with the ladder on uneven surfaces.

If you are not working with safety legs it's important to secure the ladder properly, preventing the base from slipping out away from the wall and the ladder from falling over sideways.

If possible, secure the ladder at the top with safety hooks, a fixed anti-slip protection or top stabilisers for concrete sections. If you can't secure the ladder at the top. A stabiliser is a good alternative, but keep in mind that you also need prevent the base from sliding out away from the wall, you can for example secure it with a rope.



EXTENSION LEGS

These smart extension legs offer a levelling feature up to 200 mm and are individually adjustable for safe work on uneven surfaces. The locking pin locks automatically and it is easy to find the right level.

- Extension legs are included with the LPX ladders.
- The LPR ladders can be complemented with extension legs if the stabiliser is removed (on ladders over 3 meters, you should also add safety legs).
- Delivered in pairs with all mounting details included in the package.



Art.no.	Model	Fits to
851073	W ELX-73	LPX and LPR with 73 mm side profiles
851085	W ELX-85	LPX and LPR with 85 mm side profiles



SAFETY LEGS

The safety legs will prevent the ladder from falling sideways and from base slips. Can also be used when the ladder is in combi-mode.

- Individually height adjustable legs with easy locking function.
- Safety legs are always included to the LPX ladders.
- The LPR ladders can be supplemented with safety legs.
- Delivered in pairs with all mounting details included in the package.



Art.no.	Model	Fits to
852073	W SLX-73	LPX and LPR with 73 mm side profiles
852085	W SLX-85	LPX and LPR with 85 mm side profiles



STABILISER

Reduces the risk of the ladder tipping over sideways. For use on flat ground with good bearing capacity. Combine with e.g. safety hooks or Top stabiliser for concrete sections that reduces the risk of the ladder base sliding out away from the wall.

- Stabiliser are included to all LPR and LBA ladders above 3 m.



Art.no.	Model	Fits to
800840	W STB-840	LBA between 3 och 5 m
801050	W STB-1050	LBA from 6 m
727670	W STB-LPRI200	LPR between 3 och 8 m, and Triple extension 10 m
727680	W STB-LPRI300	Double extension LPR 10 m



LADDER STABILISER 9

Reduces the risk of the ladder the ladder falling sideways. Can be used on uneven surfaces for example when a boulder or other things are in the way.

- Increases the base of the ladder with 300mm.
- Can be combined with extra accessories such as hinged non slip foot (822057) or extension legs (822056).
- Intended for LPR and LPX ladders up to 4 meters.



Art.no.	Model	Fits to
850009	WTB SF 9	Intended for LPR and LPX ladders up to 4 meters.





HINGED NON-SLIP FOOT WITH STUDS

The hinged foot helps to reduce the risk of the ladder base sliding out from the wall. The foots studded edges can be angled down for better grip on soft surfaces such as grass and dirt. The rubber coating on the bottom of the foot gives better friction on hard surfaces.

- The hinged non slip foot will have an optimum surface contact even under load.
- The foot is made from durable aluminium and the bottom is covered by a large rubberised contact surface of 100 x 45 mm.
- Easy to assemble on ladder in existing holes.
- Supplied individually.
- Fits on LPR and LPX models and replaces leveling or stabiliserbar.

Art.no.	Model	Fits to
850008	WTB GLD	Fits on LPR and LPX models and replaces leveling or stabiliserbar.




POST SUPPORT

Reduces the risk of the ladder falling over sideways. Thanks to its open-fork shape, it will fit most post sizes. Should be combined with safety legs to prevent the base from slipping.

- Made from galvanised steel to make it extra hard-wearing and prevent rust.
- Easily fitted to your ladder by clamping it securely to the top rung.

Art.no.	Model	Fits to
724769	WTB STS	All one-piece, combination and extending ladders in the W.steps range.




TOP STABILISER FOR CONCRETE SECTIONS

Reduces the risk of the ladder falling over sideways and of the ladder base sliding out away from the wall. Quickly and easily fitted to the most suitable rung. Best suited for singled piece ladders, extension ladders can not be pulled together all the way with hooks mounted.

- Made of aluminium, sold in pairs.
- Fits concrete copings up to and including 250 mm in width.
- Preferably combined with stabiliser or safety legs for even safer work.

Art.no.	Model	Fits to
726906	WTB TOG	All one-piece, combination and extending ladders in the W.steps range.



WALL SUPPORT

A wall support can be used if you need some distance from the wall for a better work position, or if you need to position the ladder over a window.

- Should be combined with safety legs to prevent the ladder from falling sideways or base slipping.
- Made from steel which has been electro-galvanised to protect it from corrosion.
- Easily fitted by clamping it securely to the top rung.
- Width 1050 mm, depth 340 mm.

Art.no.	Model	Fits to
717529	WTB TOS	All one-piece, combination and extension ladders in the W.steps range.



STEP FOR LADDER RUNG

- Made from aluminium for extra durability and stability.
- Easily fitted to the ladder.
- This tread measures 350x80 mm and has ridges along its length to provide you with safe anti-slip protection.
- If you order step treads at the same time as a one-piece ladder we can supply them ready-fitted.

Art.no.	Model	Fits to
724782	WTB TRS	All one-piece ladders in the W.steps range.



PAINTER'S CAN HOLDER SET

- Made from electro-galvanised wire.
- A hook and painters' can holder will free up your hands.
- Fits both the right and left-hand side of the ladder; suitable therefore for right-handed and left-handed people.
- Supplied as a set. Can holder for 1 litre cans and hook for cans with handles.

Art.no.	Model	Fits to
732601	WTB MKR	All ladders in the W.steps range.



MOVEABLE STANDING PLATE

- Made from steel which has been electro-galvanised to protect it from corrosion.
- The standing surface measures 280x245 mm and is of non-slip design to give you enhanced safety.
- Easily fitted by suspending it securely from the rung of your choice.
- Its clever design means the standing plate is easy to open up and to close if you need to climb past.

Art.no.	Model	Fits to
732600	WTB STP	All one-piece, combination and extending ladders in the W.steps range.



STORAGE HOOK

Practical hooks for hanging and storing your ladder on a wall. Room for two one-piece ladders or one double extension ladder. The hooks have a 20 mm hole that allows you to lock your ladder (lock not included). Maximum load 50 kg/pair. Mounting screws not included.

- Made from aluminium.
- Maximum load 50 kg.
- For two one-piece ladders or one double extension ladder.

Art.no.	Model	Fits to
500093	WTB UHKR	All one-piece and extending ladders in the W.steps range.





SAFETY HOOKS

Reduce the risk of the ladder falling over sideways and of the ladder base sliding out away from the wall. With the safety hooks it's easy to stabilize the top of the ladder. The hook has a diameter of 80 mm.

- Easy to mount with supplied rung bracket.
- Best suited for singled piece ladders, extension ladders can not be pulled together all the way with hooks mounted
- Combine with stabiliser or safety legs for even safer work.
- Sold in pairs.




Art.no.	Model	Fits to
717530	WTB TH 80	All one-piece ladders.



FIXED SLIDE PROTECTION

A fixed slide protection prevents the ladder both from tipping over sideways and sliding down along the wall.



- To be mounted by the ease of the house.
- Should be used when working on leaning ladder for accessing roofs.
- Preferably combined with stabiliser or safety legs for even safer work.



Art.no.	Colour	Model	Fits to
720334	Metal	WTAK GSX	All leaning ladders, placed under the gutter
720340	Black	WTAK GSXB	All leaning ladders, placed under the gutter
723615	Metal	WTAK GS	All leaning ladders, placed over the gutter
723616	Black	WTAK GS B	All leaning ladders, placed over the gutter



FIBREGLASS LADDERS



PROF LEANING LADDER FIBREGLASS ONE PIECE - WFG

Fibreglass ladders are non-conductive and resistant to chemicals and acids. Suitable for work with high voltage electricity such as switchgear or train powerlines. Glass-fibre ladders can also be used in aggressive environments such as food industries, chemical industries, and water treatment plants where chemicals or acids can make aluminium ladders less suitable.

Both the side stiles, rungs and stabiliser are made from glass-fibre reinforced polyester with an electrical insulation of 13,5 kW/cm.

Ladders longer than 3 meters are equipped with a stabiliser that prevents the ladder from falling over sideways.

- The ladder is non-conductive and voltage tested to 30 kV according to EN 61478.
- The material allows you to work safely even with high voltage applications, such as on overhead line structures or switchgear.
- Suitable for use in corrosive environments, both in acidic and basic environments.
- Rectangular side profiles and rungs in fibreglass reinforced polyester make for a stable and hard-wearing ladder.
- 28 mm deep rungs with anti-slip protection.

Approved according to European ladder standard EN 131, Swedish Work Environment Authority Regulation AFS 2004:3 and European standard for live working, ladders of insulating material EN 61478.

Product no.	Model	L	B	B4	Rungs	Weight
793030	WFG-S3	2970	420	-	11	8,3
793040	WFG-S4	3720	420	820	14	11,5



PROF LEANING LADDER FIBREGLASS EXTENSION - WFG

Fibreglass ladders are non-conductive and resistant to acid and chemicals. A great choice when you are working with high voltage electricity such as train powerlines or switchgear. Also suitable for aggressive environments such as chemical industries, food industries, or water treatment facilities where aluminium ladders can't be used due to chemicals or acids.

Both the side stiles, rungs and stabiliser are made from glass-fibre reinforced polyester with an electrical insulation of 13,5 kW/cm.

Ladders longer than 3 meters are equipped with a stabiliser that prevents the ladder from falling over sideways. Extension ladders can also be used as a freestanding ladder.

- The ladder is non-conductive and voltage tested to 30 kV according to EN 61478.
- The material allows you to work safely even with high voltage applications, such as on overhead line structures or switchgear.
- Suitable for use in corrosive environments, both in acidic and basic environments.
- Rectangular side profiles and rungs in fibreglass reinforced polyester make for a stable and hard-wearing ladder.
- 28 mm deep rungs with anti-slip protection.

Approved according to European ladder standard EN 131, Swedish Work Environment Authority Regulation AFS 2004:3 and European standard for live working, ladders of insulating material EN 61478.

Product no.	Model	Sections	L	L1	B	B1	B4	Rungs	Weight
793240	WFG-D4	2	4490	2740	420	360	820	10 + 10	16
793260	WFG-D6	2	6240	3740	420	360	1000	14 + 14	23,5
793360	WFG-T6	3	6240	2740	480	360	1000	10 + 10 + 10	26,5
793380	WFG-T8	3	7990	3490	480	360	1220	13 + 13 + 13	36,5

The 3-part extension ladders will be available as an order item from the supplier. All other articles will be in stock in Nässjö.



TELESCOPIC LADDERS

W.steps introduce our Hultafors Group partner Telesteps telescopic ladders in our range.



TELESCOPIC LADDER PRIME

Prime is the first telescopic ladder with a triangular tube design, making the ladder torsionally rigid and stronger than ever before. The ladder is designed be used in 75 degrees leaning angle and with the wide, angled and grooved steps that are horizontal with the ground also mean that you can feel safe at all times. With Prime we took everything we know about designing quality ladders and embarked on a new era. This is where safety, quality and design meets.

- Rubber top section – Works individually on uneven surfaces. Avoids sliding and damaging walls.
- Adjustable height – Extend only to your desired height.
- Ergonomic – Wide and level rungs to minimize slipping and reduce fatigue.
- Safer rungs – Rungs with grooved channels to disperse dirt.
- Triangular design – Twist and flex resistant by nature.

Art.no.	Model	L	L1	B	B4	Number of rungs	Weight
72226-541	2,6	2600	720	450	-	8	8
72230-581	3,0	3000	760	470	-	9	10,2
72235-681	3,5 SB	3500	870	478	860	11	14,7
72235-781	3,5 S	3500	870	555	920	11	15,2
72241-681	4,1 SB	4100	940	487	900	13	16,7
72241-781	4,1 S	4100	930	564	930	13	17,6



TELESCOPIC LADDER ECO

Simple locking system with only two buttons. Big and small yet simple and user friendly to use with no compromise in quality or safety. The Eco Line has the elegant air-damping system built in to minimize squeezing fingers and for a controlled closing of the ladder. It is not only safe but makes the ladder easier to use at the same time.

- Safe, functional and easy to carry with you – The Friend for Your Home!

Art.no.	Model	L	L1	B	B4	Number of rungs	Weight
20130-501	3,0	3000	750	500	-	9	9,9
20138-601	3,8 SB	3800	930	520	0,91	12	15,3



HINGED COMBINATION LADDERS



PROF

COMBI LADDER-TELESCOPIC C1



A very smart compact designed ladder for flexible usage. The hinged C1 ladder can be used as a freestanding- or a leaning ladder that gives you 2 ladders in 1. The telescopic parts with a widened base can be adjusted to different heights with 270mm intervals. The C1 comes in 2 lengths and has 1 set of hinges and 2 telescopic parts that can be extended to fit your task.

- Compact design with telescopic parts.
- 2 ladders in 1.
- Widened base for increased stability.
- Anodized aluminum to prevent staining of hands and clothes.

Art.no.	Model	Number of rungs	L	H	B	B4	D	Weight
802204	C1-4,0 T	7+7	2400-4020	1190-1965	350	740	850-1325	15
802205	C1-5,1 T	9+9	2940-5100	1450-2480	350	860	1010-1640	17,1



BASE

3-HINGED COMBINATION LADDER 300



This is perhaps our most versatile ladder. Smart and compact with many potential uses. Economical on space and easy to transport when folded.

- Manufactured from aluminium making the ladder hard-wearing, as well as light and easy to carry.
- Can have a polyethylene platform added (art.no. 802215), and it can then be used as a work bench.*
- Two wide stabiliser bars are included. These enhance ladder stability and safety even further.
- Additional safety with non-slip rungs.
- Two ladders in one; can be used as a leaning and a standing ladder.

Art.no.	Model	L	H	B	B4	C	D	D1	Number of rungs	Weight
802210	WKL FB-3,3	3385	1500	350	768	890	1180	2270	12**	11,3
802215	WKL PFM-B	-	-	1370	-	-	300	-	-	2,5

* If used in Sweden, you are not allowed to stand on the platform according to Swedish regulations.
** 3+6+3 or 6+6



PROF COMBI LADDER- C3

Several different uses in one folded compact design. It's 3 ladders in 1 as it can be used as a platform as well as a freestanding- or a leaning ladder. A platform is included to stand on and gives a large work area. 2 stabiliser bars that gives you better safety is included. A test load of 350 kg and hinged sections tested over 10 000 cycles ensure additional safety.

- Foldable compact design.
- 3 ladders in 1.
- Platform included.
- Anodized aluminum to prevent staining of hands and clothes.

Art.no.	Model	L	H	B	B4	C	D	D1	Number of rungs	Weight
802290	C3-3,5	3500	1700	350	790	960	1134	2280	12*	16,3

*3+6+3 or 6+6

**PROF COMBI LADDER TELESCOPIC C3**

Our most versatile ladder that is perfect for many different uses. It's 3 ladders in 1 as it can be used as a platform as well as a freestanding- or a leaning ladder. The C3 hinged telescopic ladder gives you 9 different ways to set up the ladder. A platform is included to stand on and gives a large work area. 2 stabiliser bars that gives you better safety is included. A test load of 350 kg and hinged sections tested over 10 000 cycles ensure additional safety.

- Foldable compact design with telescopic parts.
- 3 ladders in 1.
- Platform included.
- Anodized aluminum to prevent staining of hands and clothes.

Art.no.	Model	L	H	B	B4	C	D	D1	Number of rungs	Weight
802295	C3-3,5 T	2960– 3500	1440– 1700	350	790	710– 960	965– 1135	2110– 2280	12*	18

*3+6+3 or 6+6

**PROF SIGN LADDER TELESCOPIC**

A smart, compact ladder that can be attached safely to signposts and poles. The rubber coated pole holder fits both round and square poles with a diameter up to 130 mm. It also has a strap that can be tightened around the pole for extra safety and stability. A big tool shelf provides a good distance between you and the pole, giving you a better work position. The top part is hinged and telescopic which allows for compact transportation. A widened base adds stability and the legs offer up to 200 mm leveling enabling work on uneven surfaces.

- Made for poles and signposts with a diameter up to 130 mm.
- Compact telescopic design.
- Widened base for increased stability.
- 200 mm levelling for work on uneven surfaces.
- Anodized aluminum to prevent staining of hands and clothes.

Art. no	Model	H	B	B4	D	Number of rungs	Weight
802208	WSIGN 2,4-T	1730-2505	350	630-725	1060-1360	4+5	14

Which equipment fits?

In the table to below you can see which equipment that fits your ladder.

	SAFETY AT THE BOTTOM										SAFETY AT THE TOP				PRACTICAL ACCESSORIES		
	ELX-73 - Extension legs 851073	ELX-85 - Extension legs 851085	SLX-73 - Safety legs 852073	SLX-85 - Safety legs 852085	SF6 - Stabiliser 727670	SF7 - Stabiliser 727680	STB-840 - Stabiliser 800840	STB-1050 - Stabiliser 801050	WTB SF 9 - Stabiliser 850009	WTB GLD - Hinged foot 850008	TH 80 - Safety Hooks 717530	TOG - Top Stabiliser Contrete 726906	STS - Post Support 724769	TOS - Wall Support 717529	TRS - Step Tread 724782	MKR - Decorator's Can Holder 732601	STP - Moveable Standing Plate 732600
PROF+																	
One-piece ladders																	
860003, 860004	S	-	S	-	-	-	-	-	X	X	X	X	X	X	X	X	X
860005, 860006	S	-	S	-	-	-	-	-	N	X	X	X	X	X	X	X	X
Double extension ladders																	
860204, 860205, 860206	S	-	S	-	-	-	-	-	N	X	X	X	X	X	X	X	X
860207, 860208, 860210	-	S	-	S	-	-	-	-	N	X	X	X	X	X	X	X	X
Triple extension ladders																	
860305	S	-	S	-	-	-	-	-	N	X	X	X	X	X	X	X	X
860307, 860308, 860310	-	S	-	S	-	-	-	-	N	X	X	X	X	X	X	X	X
PROF																	
One-piece ladders																	
850002, 850003	X	-	X	-	X	X	-	-	X	X	X	X	X	X	X	X	X
850004	X	-	X	-	S	X	-	-	X	X	X	X	X	X	X	X	X
850005, 850006	X	-	X	-	S	X	-	-	N	X	X	X	X	X	X	X	X
Double extension ladders																	
850204, 850205, 850206	X	-	X	-	S	X	-	-	N	X	X	X	X	X	X	X	X
850207, 850208	-	X	-	X	S	X	-	-	N	X	X	X	X	X	X	X	X
850210	-	X	-	X	-	S	-	-	N	X	X	X	X	X	X	X	X
Triple extension ladders																	
850305	X	-	X	-	S	X	-	-	N	X	X	X	X	X	X	X	X
850307, 850308, 850310	-	X	-	X	S	X	-	-	N	X	X	X	X	X	X	X	X
BASE																	
One-piece ladders																	
800022, 800033	-	-	-	-	-	-	X	-	-	-	X	X	X	X	X	X	X
800044	-	-	-	-	-	-	S	-	-	-	X	X	X	X	X	X	X
Double extension ladders																	
800400, 800500	-	-	-	-	-	-	S	-	-	-	X	X	X	X	X	X	X
800600, 800700	-	-	-	-	-	-	-	S	-	-	X	X	X	X	X	X	X

S = Standard equipment
X = Optional
N = Not recommended
- = Doesn't fit

Spare parts leaning ladders

Make sure to maintain your ladders, you can extend their service time and reduces the risk of accidents. In the table below you can see which anti-skids that fits and online you will find even more spare parts.

SPARE PARTS LADDERS

Ladder		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
800022	W LBA-S2	810186	WTB GS 61	4
800033	W LBA-S3	810186	WTB GS 61	4
800044	W LBA-S4	810186	WTB GS 61	4
800400	W LBA-D4	810186	WTB GS 61	4
800500	W LBA-D5	810186	WTB GS 61	4
800600	W LBA-D6	810187	WTB GS 62	4
800700	W LBA-D7	810187	WTB GS 62	4
850002	W LPR-S2	810189	WTB GS 64	4
850003	W LPR-S3	810189	WTB GS 64	4
850004	W LPR-S4	810189	WTB GS 64	4
850005	W LPR-S5	810189	WTB GS 64	4
850006	W LPR-S6	810189	WTB GS 64	4
850204	W LPR-D4	810189	WTB GS 64	2
850205	W LPR-D5	810189	WTB GS 64	2
850206	W LPR-D6	810189	WTB GS 64	2
850207	W LPR-D7	810190	WTB GS 65	4
850208	W LPR-D8	810190	WTB GS 65	4
850210	W LPR-D10	810190	WTB GS 65	4
850305	W LPR-T5	810189	WTB GS 64	4
850307	W LPR-T7	810190	WTB GS 65	4
850308	W LPR-T8	810190	WTB GS 65	4
850310	W LPR-T10	810190	WTB GS 65	4

Ladder		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
860003	W LPX-S3	810189	WTB GS 64	4
860004	W LPX-S4	810189	WTB GS 64	4
860005	W LPX-S5	810189	WTB GS 64	4
860006	W LPX-S6	810189	WTB GS 64	4
860204	W LPX-D4	810189	WTB GS 64	4
860205	W LPX-D5	810189	WTB GS 64	4
860206	W LPX-D6	810189	WTB GS 64	4
860207	W LPX-D7	810190	WTB GS 65	4
860208	W LPX-D8	810190	WTB GS 65	4
860210	W LPX-D10	810190	WTB GS 65	4
860305	W LPX-T5	810189	WTB GS 64	4
860307	W LPX-T7	810190	WTB GS 65	4
860308	W LPX-T8	810190	WTB GS 65	4
860310	W LPX-T10	810190	WTB GS 65	4
802210	WKL FB-3,3	810165	WTB GS 35	4
802240	WTS Y2-4,1	810166	WTB GS 36	4
802250	WTS Y2-5,3	810166	WTB GS 36	4
802909	WTL-2,9	802923	WTB GS 55	2
802911	WTL-3,4 SF	802922	WTB GS 56	2
802913	WTL-4,0 SF	802922	WTB GS 56	2
832690	WKS FP350-3,6	810176	WTB GS 46	4
832695	WKS FPT350-3,6	810176	WTB GS 46	4

SPARE PARTS SAFETY EQUIPMENT

Safety equipment		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
724769	WTB STS	810163	WTB GS 33	2
727670	W STB-LPRI200	810157	WTB GS 27	2
727680	W STB-LPRI300	810157	WTB GS 27	2
800840	W STB-840	810188	WTB GS 63	2
801050	W STB-1050	810188	WTB GS 63	2

Safety equipment		Anti-skids		
Art.no.	Model	Art.no.	Model	Pcs/pack
851073	W ELX-73	810191	WTB GS 66	2
851085	W ELX-85	810192	WTB GS 67	2
852073	W SLX-73	810193	WTB GS 68	2
852085	W SLX-85	810193	WTB GS 68	2



WALL & ROOF

Safe climbing on roofs _

Permanent ladder solutions for mounting on walls and roofs or use at home and for commercial real estates. Made in aluminium or steel, easy to mount and safe to climb. Our roof ladder has a discreet design that fits different roof coverings. In this section you can also find evacuation ladders, batten steps and foldable cab ladders for trucks and lorries for easy access.



Durable steel ladders for fixed mounting on walls and roofs. It is suitable as a roof ladder at all heights and as a wall ladder on properties where the facade is a maximum of 8 meters. It can also be used on chimneys and similar constructions without any height restrictions.

We have three models of evacuation ladders. All are made from weather resistant aluminium and folds up into a discrete rail on the wall. The 320 comes in lengths up to 3.6 m, the 400 is wider, comes in lengths up to 6 m and can be divided, enabling evacuation from multiple exits. 120 ladder parts are about 1.2 m for easy transport and can just as the other evacuation ladders be joint together for longer versions that fit you house.



Read more about our ladders for fixed mounting on walls and roof on our web – wsteps.com


Miscellaneous

In this section you will find our popular hard-wearing aluminium cases, straight edges for levelling surfaces and our jetty ladder.

ALUMINIUM CASES

Light, hard-wearing aluminium cases designed for safe storage of tools, sensitive equipment and other items that you want to protect from weather and wear. The cases are available in five module-based sizes, allowing you to stack cases of various sizes on top of one another. The snap-on locks can be secured with padlocks to prevent unauthorized persons from accessing the content.

- Made from 1 mm sturdy aluminium sheet metal and designed with a close-fitting rubber seal in the lid for reliable protection against damp and dust.
- Comfortable spring loaded handles.
- Glassfibre reinforced plastic corners on the lid protects the boxes and simplifies stacking.
- Robust snap-on locks that can be secured with padlocks.
- Made in Europe.



	Art. no.	Model	Volume (litres)	Outer measures			Internal measures			Weight
				L	B	H	L	B	H	
1	829047	WAL-C 47	47	582	385	275	550	350	245	4,60
2	829073	WAL-C 73	73	582	385	410	550	350	380	5,30
3	829092	WAL-C 92	92	782	385	380	750	350	350	6,20
4	829140	WAL-C 140	140	902	495	380	870	460	350	8,70
5	829243	WAL-C 243	243	782	585	620	750	550	590	10,70



1



2



3



4



5

STRAIGHT EDGE

Straight edge for laying floors, general construction work and other situations where an absolutely true straight line is needed. Made from durable aluminium that retains its shape and is resistant to both heat and cold.

- Anodised aluminium to prevent staining of hands or surrounding items.
- The straight edge is fitted with end protectors.


Art. no.	Model	Length	Number per sales pack	Weight
820428	RSW 200	2000	1	2,0
820429	RSW 235	2350	1	2,4
820430	RSW 250	2500	1	2,5
820431	RSW 300	3000	1	3,0
820432	RSW 400	4000	1	4,0
820433	RSW 500	5000	1	5,0
820434	RSW 600	6000	1	6,0



JETTY LADDER

A robust jetty ladder for fixed mounting on jetties. You can choose between two lengths with 4 or 6 steps respectively. With sturdy handrails and non-slip steps, you can get safely in and out of the water.

- Hot-dip galvanized for use in both fresh and salt water.
- Steps with anti-slip patterns, made from pressure-impregnated pine.
- Maintenance free.
- Made in Europe.



Product no.	Model	Height of ladder section, H	Height hand rail H2	Overall height H1	Width B	Number of treads	Weight
910070	WBS fzv-1,1	1120	700	1820	520	4	15,0
910076	WBS fZV-1,6	1620	700	2320	520	6	16,1

JETTY LADDER EXTENSION

A clever extension section for your jetty ladder giving you more 450x95 mm treads. Ideal if you have a high jetty or if the water around your jetty is deep.

- Made from hot-dip galvanised steel tubing ensuring the extension section is maintenance-free.
- The treads are of non-slip design and made from pressure-impregnated pinewood, a wood that keeps well in water.
- Lengthens your ladder by 500 mm or 1000 mm – easily fitted to the bottom part of the ladder.

Accessory product no.	Model	Height	Width	Number of treads	Weight
910071	WBS FSA-2	500	520	2	5,0
910073	WBS FSA-4	1000	520	4	8,4



JETTY LADDER HINGED BRACKET

Clever fixings with hinges so that you can easily fold your jetty ladder back out of the water without having to loosen any bolts. Ideal if you want to avoid uninvited guests accessing your jetty.

- Made from hot-dip galvanised steel to ensure they are maintenance-free.
- Consists of a 330x40x6 hinge with four 10 mm holes per section to ensure secure attachment.
- You simply fit them to your jetty and jetty ladder using two M10x100 mm bolts and nuts.

Accessory product no.	Model	Weight
910072	WBS GGB	1,7



JETTY LADDER PLATFORM

A platform for your jetty ladder to provide a good surface for standing on. It is made from two treads and measures 450x220 mm. Makes exiting the water nice and easy for you and your bathing party.

- Made from hot-dip galvanised steel to ensure it is maintenance-free.
- The platform is of non-slip design and made from pressure-impregnated pinewood, a wood that keeps well in water.
- You can easily fit it to the bottom tread of the jetty ladder.

Accessory product no.	Model	Width	Number of treads	Weight
910074	WBS PLF	450	1	2,5



3 steps for safety in every step

1. Choose the right product

Height

Always try to find a height where you can perform your work in a comfortable position without having to stretch in order to reach your work area. Try to choose a height where you can utilise the platform and fall protection as much as possible instead of standing on the steps or the rungs.

Platform size and fall protection

You should not only consider what height you need to reach but also your need to reach sideways. Products with larger platforms allows the climber to move and reach larger areas. This reduces the need to reposition the ladder as often or to lean dangerously outside the ladder. A larger platform and better fall protection will also allow you to work more efficiently. You will be able to relax, move more freely and focus on your job instead of your balance. So, in the long run a better ladder will be a better investment in both safety and efficiency.

Quality

We have divided our range into three different categories to guide anyone who works at height in their search for the best ladder: PROF+, PROF and BASE.

PROF+ This category contains the very best we've got when it comes to functionality, durability, safety and ergonomics. You get a heavy duty design with greater stability, larger platforms and better fall protection.

PROF This category is for craftsmen who need products that are easy to handle but still tough enough for everyday use.

BASE These are more basic products for the price conscious pro or DIY. They aren't for the heaviest tasks and won't get you to the highest heights. But that on the other hand, allows them to be relatively slim, light and easy to handle.

Transport

Some users carry their ladders more than they climb on it and in such cases you might want to opt for a lighter and slimmer ladder. You'll find many good options in our Base category but you could also have a look at the 5000+, 44P and Vikingstep for example.

Other demands

In some cases there might be extra demands that you have to consider such as requirements to use products that are labelled "Bra Arbetsmiljöval" or to use more sustainable products. In both cases we have a wide variety of models to choose from, look for the green labels.

Rules and regulations

What does the law say?

In most countries rules and regulations regarding the working environment govern both the use and design of our products. Regulations regarding the use of ladder may be worth reading as they are basically about one thing only – your safety. They are there to make sure you always get safely home from work so make sure to check with your authorities what rules and regulations that applies to you. For the design of our ladders we always make sure to follow the relevant standards – read more about them below.

Standards, type control, testing and certificates

The regulations of the Norwegian Working Environment Authority also state that ladders and scaffolding must be designed and tested according to certain standards in order to be sold. But as a user, you don't really have to worry about that, we of course always ensure that our products are approved according to the requirements of the law. The same applies to retailers, the only requirement that is placed on you is that ladders and scaffolding must be approved to be sold, but we keep track of that so you don't have to think about it.

A standard describes, for example, how far it must be between each step and how much load the product must withstand. There are standards both at National and European level, but they are often quite similar. On the next page you will find a summary of which standards apply to our various products.

To ensure that our products live up to the requirements of the standard, we let Sweden's research institute RISE carry out independent type control and tests before we start selling them. When the product is approved, RISE issues a certificate, which is a document that shows that the product is designed correctly and has passed the tests in the standard. You can find our certificates on our website. We also put the RISE symbol on the ladder label to make it easy to see that it is tested and approved. It can also be nice to know that when a standard is changed, you can continue to use an old ladder, what counts is that the ladder was approved when it was sold.

We are also ISO certified for quality ISO 9001 and for environment ISO 14 001.

Standards & regulations

Ladders, trestles and work platforms

Our Step ladders, leaning ladders, and work platforms are approved according to European standard EN 131 and the subsections for specific product groups such as EN 131-6 for telescopic ladders and EN 131-7 for work platforms.

Scaffolding

Our scaffolding range is approved according to European standard EN 1004-1 (load class 3) and conforms with the latest updates in EN 1004-1:2020.

Wall and roof products

Our range of products for fixed mounting on walls and roofs are not covered by the same regulations as our other ladders. Read more about the range on our web.

Fibreglass ladders

Our fibreglass products are approved both according to European standard for live working, ladders of insulating material EN 61478 and European ladder standard EN 131.

Products that don't require approval

There are a few products in our range that are not covered by any standard or specific regulatory framework. This does not mean that they can't be sold or used, there is simply no standard that regulates their design. These products are, for example, aluminium boxes, trestles GB and 6000, straight edges, and jetty ladders.

CE-marking

Mobile ladders can't be CE-marked since there is no harmonized standard at a European level. But there is an exception in our range, ladders for fixed mounting on roofs are covered by a harmonized standard and are CE marked as well as our lifts.

Our certificates show which ladders meet which parts and versions of different standards. All our certificates can be found on our web.



Ladders that save lives

NOR-BAS, our fire and rescue range, covers the entire spectrum of life-saving ladders. It consists of extending ladders ranging from 8 to 14 metres as well as a joining ladder kit. Using various accessories, these can be combined to give you lifting tackle, a hoist, a bridge, a quayside ladder, and much more. The range also includes diving ladders, a nail-down roof ladder and rescue vehicle roof units.

The extension ladders and sections ladders are type tested to Swedish Standard SS2091 and European Standard EN 1147 by RISE, Research Institutes of Sweden.

The ladders in the NOR-BAS range have been developed in association with Swedish rescue services, the Swedish Rescue Services Agency and the Swedish Work Environment Authority.

NOR-BAS
By W.steps





A unique product family

HULTAFORS GROUP offers a dynamic range of premium brands to rely on – for distributors and craftsmen alike. Each brand within the Group is united with a common passion: to keep craftsmen at the forefront in terms of functionality, safety, protection and overall productivity.

Hultafors Group is proud to present sixteen leading brands that together offer a unique product family for professional craftsmen.

Each brand represents expertise in its particular area and brings unparalleled knowledge and insight into the unique on-the-job challenges encountered by craftsmen. This makes it possible for us to meet, even anticipate, evolving demands by designing innovative state-of-the-art products that make the craftsmen's workday safer, easier and more productive.

Excelling in brand-driven product categories within the industry and construction equipment sectors, we offer customers and users a best-in-class experience. And by using our high-value products as well as benefitting from brands built around their needs, craftsmen can be at the forefront every day and take great pride in their work.



HULTAFORS GROUP

W.steps



HEAD OFFICE, SWEDEN

Box 38
517 21 Bollebygd
info@hultaforsgroup.com
Tel. +46 (0)33 723 74 00
Fax. +46 (0)33 723 74 10



wsteps.com

W.steps Product Development reserve the right to make improvements and alternatives to products, product ranges and materials without notification and on an ongoing basis.

The content of this publication is subject to copyright and may not be copied or reproduced.